

# MONARCH

Industrial Tires, Inc

9700 Wallisville Road, Suite D. Houston, Texas 77013 USA

Phone Number: (713) 676-2231

Fax Line: (713) 673-4400

In Texas 800 toll free line 1-800-570-2231

GPX INTERNATIONAL TIRE CORP.



[monarchtires@comcast.net](mailto:monarchtires@comcast.net)

Email address



We ship worldwide via UPS



# MULTI-PURPOSE

SOLID INDUSTRIAL TIRES

# MITL

## MULTI-PURPOSE SOLID INDUSTRIAL TIRES

### MPC

**MULTI PURPOSE CUSHION  
RUBBER PRESS-ONS**

**Quality Performance at  
Excellent Pricing**

- High quality, 100% natural rubber compound
- Available in high performance Multi-Purpose and Non-Marking compounds
- Value priced to meet your needs
- Soft Riding compounds provide excellent shock absorption



### MPR-2

**MULTI PURPOSE RESILIENT  
2-STAGE  
PNEUMATIC SHAPED SOLIDS**

**Engineered to Provide  
Unbeatable Value**

- High quality, 100% natural rubber compound
- Available in high performance Multi-Purpose and Non-Marking compounds
- Dimensions meet all TRA Standards
- Aggressive lug pattern for traction
- Concave sidewall design provides increased shock absorption.

**Sales and Service By:**

**MONARCH INDUSTRIAL TIRES, INC.  
9700D WALLISVILLE ROAD  
HOUSTON, TEXAS 77013**

*A Product of*

**MITL**

For More Information Contact  
Industrial Tires Ltd. 905-625-1600  
MaineTire 207-856-6381

[www.industrialtires.com](http://www.industrialtires.com)

# MULTI-PURPOSE SOLID INDUSTRIAL TIRES

## Specifications

### MPC SMOOTH

Tire Size	Tread	Profile	Load Rating 10 mph	Load Rating 6 mph	Approx Weight lbs
14 x 4 1/2 x 8	S	MPC	2120	2390	23
16 x 5 x 10 1/2	S	MPC	2730	3090	33
16 x 6 x 10 1/2	S	MPC	3460	3920	37
16 1/4 x 5 x 11 1/4	S	MPC	2760	3120	27
16 1/4 x 6 x 11 1/4	S	MPC	3480	3930	36
18 x 5 x 12 1/8	S	MPC	2980	3360	35
18 x 6 x 12 1/8	S	MPC	3800	4290	44
18 x 7 x 12 1/8	S	MPC	4620	5220	53
18 x 8 x 12 1/8	S	MPC	5440	6150	59
21 x 7 x 15	S	MPC	5200	5870	62
21 x 8 x 15	S	MPC	6130	6930	71
22 x 8 x 16	S	MPC	6340	7170	75
22 x 9 x 16	S	MPC	7310	8260	84



### MPC TRACTION

Tire Size	Tread	Profile	Load Rating 10 mph	Load Rating 6 mph	Approx Weight lbs
16 x 6 x 10 1/2	T	MPC	3460	3920	37
16 1/4 x 6 x 11 1/4	T	MPC	3480	3930	36
18 x 6 x 12 1/8	T	MPC	3800	4290	44
18 x 7 x 12 1/8	T	MPC	4620	5220	53
18 x 8 x 12 1/8	T	MPC	5440	6150	59
21 x 7 x 15	T	MPC	5200	5870	62
21 x 8 x 15	T	MPC	6130	6930	71
22 x 8 x 16	T	MPC	6340	7170	75
22 x 9 x 16	T	MPC	7310	8260	84



### MPR-2

Tire Size	Rim Width	Tread	Outside Diameter Inches	Tire Width	Capacity 6 mph	Approx Weight lbs
18 x 7 - 8	4.33	Lug	18.00	4.90	2670	39
600 x 9	4.00	Lug	20.70	5.40	4230	55
650 x 10	5.00	Lug	22.80	6.10	5810	76
700 x 12	5.00	Lug	26.00	6.50	6640	120
700 x 15	5.50	Lug	28.80	6.90	7905	133
815 x 15	7.00	Lug	27.50	8.00	9000	146
28 x 9-15	7.00	Lug	27.50	8.00	9000	146
825 x 15	6.50	Lug	32.20	8.00	10875	193
250 x 15	7.00	Lug	28.30	9.10	9615	164
250 x 15	7.50	Lug	28.30	9.10	9615	166

